

MIG Torch - Air Cooled - Pro Mig 15




Advantageous

- Interchangeable with the best-known European brands
- A sturdy torch that combines the qualities of compactness and light weight with great reliability
- Ergonomic handle
- Torch with ball joint to ease welding movement
- Attachments : Euro with mobile pins


Specifications

Rating	180 A for CO2
	150 A for Mixed Gases M 21
	60 % Duty Cycle
Wire sizes	0.6 - 1.0 mm

Item Code	Item Name	MoQ
250.02.001	Mig Torch - Pro Mig 15 at 3 m	1 Set
250.02.002	Mig Torch - Pro Mig 15 at 4 m	1 Set



Item Code	Item Name	MoQ
250.03.001.1	Gas Nozzle - Conical Ø 12 mm - Pro Mig 15 - 5 Pcs	1 Pack



250.08.001.1	Contact Tip M6 x 25 mm - Pure Copper E-Cu Ø 0.6 mm - Pro Mig 15 - 10 Pcs	1 Pack
250.08.002.1	Contact Tip M6 x 25 mm - Pure Copper E-Cu Ø 0.8 mm - Pro Mig 15 - 10 Pcs	1 Pack
250.08.003.1	Contact Tip M6 x 25 mm - Pure Copper E-Cu Ø 0.9 mm - Pro Mig 15 - 10 Pcs	1 Pack
250.08.004.1	Contact Tip M6 x 25 mm - Pure Copper E-Cu Ø 1.0 mm - Pro Mig 15 - 10 Pcs	1 Pack



250.03.002.1	Nozzle Spring - Pro Mig 15 - 10 Pcs	1 Pack
--------------	-------------------------------------	--------



250.03.003.1	Tip Holder - Pro Mig 15 - 5 Pcs	1 Pack
--------------	---------------------------------	--------



250.03.004.1	Insulator - Pro Mig 15 - 5 Pcs	1 Pack
--------------	--------------------------------	--------



250.03.005.1	Swan Neck - Pro Mig 15 - 1 Pc	1 Pack
--------------	-------------------------------	--------



250.07.001.1	Torch Body Plastic - Pro Mig - 1 Pc	1 Pack
250.07.002.1	Torch Body Plastic - General - 1 Pc	1 Pack



Item Code	Item Name	MoQ
250.15.001.1	Steel Liner - Blue Ø 0.6 - 0.8 mm at 3 m - 1 Pc	1 Pack
250.15.002.1	Steel Liner - Blue Ø 0.6 - 0.8 mm at 4 m - 1 Pc	1 Pack
250.15.003.1	Steel Liner - Blue Ø 0.6 - 0.8 mm at 5 m - 1 Pc	1 Pack



250.15.004.1	Steel Liner - Red Ø 0.9 - 1.2 mm at 3 m - 1 Pc	1 Pack
250.15.005.1	Steel Liner - Red Ø 0.9 - 1.2 mm at 4 m - 1 Pc	1 Pack
250.15.006.1	Steel Liner - Red Ø 0.9 - 1.2 mm at 5 m - 1 Pc	1 Pack



250.16.001.1	Teflon Liner - Blue Ø 0.8 - 1.0 mm at 3 m - 1 Pc	1 Pack
250.16.002.1	Teflon Liner - Blue Ø 0.8 - 1.0 mm at 4 m - 1 Pc	1 Pack
250.16.003.1	Teflon Liner - Blue Ø 0.8 - 1.0 mm at 5 m - 1 Pc	1 Pack



250.16.004.1	Teflon Liner - Red Ø 1.0 - 1.2 mm at 3 m - 1 Pc	1 Pack
250.16.005.1	Teflon Liner - Red Ø 1.0 - 1.2 mm at 4 m - 1 Pc	1 Pack
250.16.006.1	Teflon Liner - Red Ø 1.0 - 1.2 mm at 5 m - 1 Pc	1 Pack



250.16.010.1	Swan Neck Copper Liner - for Aluminum Wire up to 1.6 mm - 1 Pc	1 Pack
--------------	--	--------



Recommended Anti Spatter

Item Code	Item Name	MoQ
336.01.001	Antispatter Spray - Distac Weld 400 ml - Siliconi	1 Pc
336.01.002	Antispatter Paste - Pasta Welding 300 gr - Siliconi	1 Pc
336.01.003	Antispatter Spray - Ceramstak 500 ml - Siliconi	1 Pc

MIG Torch - Air Cooled - Pro Mig 24



Advantageous

- Interchangeable with the best-known European brands
- A sturdy torch that combines the qualities of compactness and light weight with great reliability
- Ergonomic handle
- Torch with ball joint to ease welding movement
- Attachments : Euro with mobile pins

Specifications

Rating	250 A for CO2
	220 A for Mixed Gases M 21
	60 % Duty Cycle
Wire sizes	0.8 - 1.2 mm


Item Code	Item Name	MoQ
250.02.003	Mig Torch - Pro Mig 24 at 3 m	1 Set
250.02.004	Mig Torch - Pro Mig 24 at 4 m	1 Set
250.02.005	Mig Torch - Pro Mig 24 at 5 m	1 Set



Item Code	Item Name	MoQ
250.04.001.1	Gas Nozzle - Conical Ø 12.5 mm - Pro Mig 24 - 5 Pcs	1 Pack
250.04.002.1	Gas Nozzle - Tapered Ø 10 mm - Pro Mig 24 - 2 Pcs	1 Pack
250.04.003.1	Gas Nozzle - Spot Weld Ø 17 mm - Pro Mig 24 - 2 Pcs	1 Pack



250.09.001.1	Contact Tip M6 x 28 mm - Pure Copper E-Cu Ø 0.8 mm - Pro Mig 24 - 36 - 500 - 10 Pcs	1 Pack
250.09.002.1	Contact Tip M6 x 28 mm - Pure Copper E-Cu Ø 0.9 mm - Pro Mig 24 - 36 - 500 - 10 Pcs	1 Pack
250.09.003.1	Contact Tip M6 x 28 mm - Pure Copper E-Cu Ø 1.0 mm - Pro Mig 24 - 36 - 500 - 10 Pcs	1 Pack
250.09.004.1	Contact Tip M6 x 28 mm - Pure Copper E-Cu Ø 1.2 mm - Pro Mig 24 - 36 - 500 - 10 Pcs	1 Pack



250.10.001.1	Contact Tip M6 x 28 mm - Silver Plated Ø 0.8 mm - Pro Mig 24 - 36 - 500 - 10 Pcs	1 Pack
250.10.002.1	Contact Tip M6 x 28 mm - Silver Plated Ø 0.9 mm - Pro Mig 24 - 36 - 500 - 10 Pcs	1 Pack
250.10.003.1	Contact Tip M6 x 28 mm - Silver Plated Ø 1.0 mm - Pro Mig 24 - 36 - 500 - 10 Pcs	1 Pack
250.10.004.1	Contact Tip M6 x 28 mm - Silver Plated Ø 1.2 mm - Pro Mig 24 - 36 - 500 - 10 Pcs	1 Pack



250.04.004.1	Tip Holder - M6 x 26 mm - Pro Mig 24 - 5 Pcs	1 Pack
--------------	--	--------



250.04.005.1	Gas diffuser - White - Pro Mig 24 - 10 Pcs	1 Pack
250.04.006.1	Gas diffuser - Ceramic - Pro Mig 24 - 10 Pcs	1 Pack



250.04.007.1	Swan Neck - Pro Mig 24 - 1 Pc	1 Pack
--------------	-------------------------------	--------



Pro Mig General

Item Code	Item Name	MoQ
250.07.001.1	Torch Body Plastic - Pro Mig - 1 Pc	1 Pack
250.07.002.1	Torch Body Plastic - General - 1 Pc	1 Pack



250.15.001.1	Steel Liner - Blue Ø 0.6 - 0.8 mm at 3 m - 1 Pc	1 Pack
250.15.002.1	Steel Liner - Blue Ø 0.6 - 0.8 mm at 4 m - 1 Pc	1 Pack
250.15.003.1	Steel Liner - Blue Ø 0.6 - 0.8 mm at 5 m - 1 Pc	1 Pack



250.15.004.1	Steel Liner - Red Ø 0.9 - 1.2 mm at 3 m - 1 Pc	1 Pack
250.15.005.1	Steel Liner - Red Ø 0.9 - 1.2 mm at 4 m - 1 Pc	1 Pack
250.15.006.1	Steel Liner - Red Ø 0.9 - 1.2 mm at 5 m - 1 Pc	1 Pack



250.16.001.1	Teflon Liner - Blue Ø 0.8 - 1.0 mm at 3 m - 1 Pc	1 Pack
250.16.002.1	Teflon Liner - Blue Ø 0.8 - 1.0 mm at 4 m - 1 Pc	1 Pack
250.16.003.1	Teflon Liner - Blue Ø 0.8 - 1.0 mm at 5 m - 1 Pc	1 Pack



250.16.004.1	Teflon Liner - Red Ø 1.0 - 1.2 mm at 3 m - 1 Pc	1 Pack
250.16.005.1	Teflon Liner - Red Ø 1.0 - 1.2 mm at 4 m - 1 Pc	1 Pack
250.16.006.1	Teflon Liner - Red Ø 1.0 - 1.2 mm at 5 m - 1 Pc	1 Pack



250.16.010.1	Swan Neck Copper Liner - for Aluminum Wire up to 1.6 mm - 1 Pc	1 Pack
--------------	--	--------


Recommended Anti Spatter

Item Code	Item Name	MoQ
336.01.001	Antispatter Spray - Distac Weld 400 ml - Siliconi	1 Pc
336.01.002	Antispatter Paste - Pasta Welding 300 gr - Siliconi	1 Pc
336.01.003	Antispatter Spray - Ceramstak 500 ml - Siliconi	1 Pc

MIG Torch - Air Cooled - Pro Mig 36






- Advantageous**
- Interchangeable with the best-known European brands
 - A sturdy torch that combines the qualities of compactness and light weight with great reliability
 - Ergonomic handle
 - Torch with ball joint to ease welding movement
 - Attachments : Euro with mobile pins

Specifications

Rating	340 A for CO2
	320 A for Mixed Gases M 21
	60 % Duty Cycle
Wire sizes	0.8 - 1.6 mm

Item Code	Item Name	MoQ
250.02.006	Mig Torch - Pro Mig 36 at 3 m	1 Set
250.02.007	Mig Torch - Pro Mig 36 at 4 m	1 Set
250.02.008	Mig Torch - Pro Mig 36 at 5 m	1 Set

Item Code	Item Name	MoQ
250.05.001.1	Gas Nozzle - Conical Ø 16 mm - Pro Mig 36 - 5 Pcs	1 Pack
250.05.002.1	Gas Nozzle - Tapered Ø 12 mm - Pro Mig 36 - 2 Pcs	1 Pack
250.05.003.1	Gas Nozzle - Spot Weld Ø 20 mm - Pro Mig 36 - 2 Pcs	1 Pack
250.09.001.1	Contact Tip M6 x 28 mm - Pure Copper E-Cu Ø 0.8 mm - Pro Mig 24 - 36 - 500 - 10 Pcs	1 Pack
250.09.002.1	Contact Tip M6 x 28 mm - Pure Copper E-Cu Ø 0.9 mm - Pro Mig 24 - 36 - 500 - 10 Pcs	1 Pack
250.09.003.1	Contact Tip M6 x 28 mm - Pure Copper E-Cu Ø 1.0 mm - Pro Mig 24 - 36 - 500 - 10 Pcs	1 Pack
250.09.004.1	Contact Tip M6 x 28 mm - Pure Copper E-Cu Ø 1.2 mm - Pro Mig 24 - 36 - 500 - 10 Pcs	1 Pack
250.09.005.1	Contact Tip M6 x 28 mm - Pure Copper E-Cu Ø 1.6 mm - Pro Mig 24 - 36 - 500 - 10 Pcs	1 Pack
250.10.001.1	Contact Tip M6 x 28 mm - Silver Plated Ø 0.8 mm - Pro Mig 24 - 36 - 500 - 10 Pcs	1 Pack
250.10.002.1	Contact Tip M6 x 28 mm - Silver Plated Ø 0.9 mm - Pro Mig 24 - 36 - 500 - 10 Pcs	1 Pack
250.10.003.1	Contact Tip M6 x 28 mm - Silver Plated Ø 1.0 mm - Pro Mig 24 - 36 - 500 - 10 Pcs	1 Pack
250.10.004.1	Contact Tip M6 x 28 mm - Silver Plated Ø 1.2 mm - Pro Mig 24 - 36 - 500 - 10 Pcs	1 Pack
250.11.001.1	Contact Tip M8 x 30 mm - Pure Copper E-Cu Ø 1.0 mm - Pro Mig 36 - 500 - 10 Pcs	1 Pack
250.11.002.1	Contact Tip M8 x 30 mm - Pure Copper E-Cu Ø 1.2 mm - Pro Mig 36 - 500 - 10 Pcs	1 Pack
250.11.003.1	Contact Tip M8 x 30 mm - Pure Copper E-Cu Ø 1.4 mm - Pro Mig 36 - 500 - 10 Pcs	1 Pack
250.11.004.1	Contact Tip M8 x 30 mm - Pure Copper E-Cu Ø 1.6 mm - Pro Mig 36 - 500 - 10 Pcs	1 Pack
250.12.001.1	Contact Tip M8 x 30 mm - Copper Chromium Zirconium CuCrZr Ø 1.0 mm - Pro Mig 36 - 500 - 10 Pcs	1 Pack
250.12.002.1	Contact Tip M8 x 30 mm - Copper Chromium Zirconium CuCrZr Ø 1.2 mm - Pro Mig 36 - 500 - 10 Pcs	1 Pack
250.12.003.1	Contact Tip M8 x 30 mm - Copper Chromium Zirconium CuCrZr Ø 1.3 mm - Pro Mig 36 - 500 - 10 Pcs	1 Pack
250.12.004.1	Contact Tip M8 x 30 mm - Copper Chromium Zirconium CuCrZr Ø 1.4 mm - Pro Mig 36 - 500 - 10 Pcs	1 Pack
250.12.005.1	Contact Tip M8 x 30 mm - Copper Chromium Zirconium CuCrZr Ø 1.6 mm - Pro Mig 36 - 500 - 10 Pcs	1 Pack





Item Code	Item Name	MoQ
250.05.004.1	Tip Holder - M6 x 28 mm - Pro Mig 36 - 5 Pcs	1 Pack
250.05.005.1	Tip Holder - M8 x 28 mm - Pro Mig 36 - 5 Pcs	1 Pack
250.05.006.1	Gas Diffuser - White - Pro Mig 36 - 10 Pcs	1 Pack
250.05.007.1	Gas Diffuser - Ceramic - Pro Mig 36 - 10 Pcs	1 Pack
250.05.008.1	Swan Neck - Pro Mig 36 - 1 Pc	1 Pack
250.07.001.1	Torch Body Plastic - Pro Mig - 1 Pc	1 Pack
250.07.002.1	Torch Body Plastic - General - 1 Pc	1 Pack



250.15.001.1	Steel Liner - Blue Ø 0.6 - 0.8 mm at 3 m - 1 Pc	1 Pack
250.15.002.1	Steel Liner - Blue Ø 0.6 - 0.8 mm at 4 m - 1 Pc	1 Pack
250.15.003.1	Steel Liner - Blue Ø 0.6 - 0.8 mm at 5 m - 1 Pc	1 Pack



250.15.004.1	Steel Liner - Red Ø 0.9 - 1.2 mm at 3 m - 1 Pc	1 Pack
250.15.005.1	Steel Liner - Red Ø 0.9 - 1.2 mm at 4 m - 1 Pc	1 Pack
250.15.006.1	Steel Liner - Red Ø 0.9 - 1.2 mm at 5 m - 1 Pc	1 Pack



250.15.012.1	Steel Liner - Yellow Ø 0.9 - 1.2 mm at 3 m - 1 Pc	1 Pack
250.15.013.1	Steel Liner - Yellow Ø 0.9 - 1.2 mm at 4 m - 1 Pc	1 Pack
250.15.014.1	Steel Liner - Yellow Ø 0.9 - 1.2 mm at 5 m - 1 Pc	1 Pack



250.16.001.1	Teflon Liner - Blue Ø 0.8 - 1.0 mm at 3 m - 1 Pc	1 Pack
250.16.002.1	Teflon Liner - Blue Ø 0.8 - 1.0 mm at 4 m - 1 Pc	1 Pack
250.16.003.1	Teflon Liner - Blue Ø 0.8 - 1.0 mm at 5 m - 1 Pc	1 Pack



250.16.004.1	Teflon Liner - Red Ø 1.0 - 1.2 mm at 3 m - 1 Pc	1 Pack
250.16.005.1	Teflon Liner - Red Ø 1.0 - 1.2 mm at 4 m - 1 Pc	1 Pack
250.16.006.1	Teflon Liner - Red Ø 1.0 - 1.2 mm at 5 m - 1 Pc	1 Pack



250.16.007.1	Teflon Liner - Yellow Ø 1.4 - 1.6 mm at 3 m - 1 Pc	1 Pack
250.16.008.1	Teflon Liner - Yellow Ø 1.4 - 1.6 mm at 4 m - 1 Pc	1 Pack
250.16.009.1	Teflon Liner - Yellow Ø 1.4 - 1.6 mm at 5 m - 1 Pc	1 Pack



250.16.010.1	Swan Neck Copper Liner - for Aluminum Wire up to 1.6 mm - 1 Pc	1 Pack
--------------	--	--------



Recommended Anti Spatter		
Item Code	Item Name	MoQ
336.01.001	Antispatter Spray - Distac Weld 400 ml - Siliconi	1 Pc
336.01.002	Antispatter Paste - Pasta Welding 300 gr - Siliconi	1 Pc
336.01.003	Antispatter Spray - Ceramstak 500 ml - Siliconi	1 Pc

MIG Torch - Liquid Cooled - Pro Mig 500



Advantageous

- Interchangeable with the best-known European brands
- A sturdy torch that combines the qualities of compactness and light weight with great reliability
- Ergonomic handle
- Torch with ball joint to ease welding movement
- Attachments : Euro with mobile pins

Specifications

Rating	500 A for CO2
	450 A for Mixed Gases M 21
	100 % Duty Cycle
Wire sizes	1.0 - 2.4 mm
Coolant Pressure	2 - 4 bar
Coolant Flow	1.6 l/min

Item Code	Item Name	MoQ
250.02.009	Mig Torch - Pro Mig 500 at 3 m	1 Set
250.02.010	Mig Torch - Pro Mig 500 at 4 m	1 Set

Item Code	Item Name	MoQ
-----------	-----------	-----


250.06.001.1	Gas Nozzle - Conical Ø 16 mm - Pro Mig 500 - 2 Pcs	1 Pack
250.06.002.1	Gas Nozzle - Tapered Ø 14 mm - Pro Mig 500 - 2 Pcs	1 Pack
250.06.003.1	Gas Nozzle - Tapered Ø 15 mm - Pro Mig 500 - 2 Pcs	1 Pack
250.06.004.1	Gas Nozzle - Spot Welding Ø 20 mm - Pro Mig 500 - 2 Pcs	1 Pack




250.09.001.1	Contact Tip M6 x 28 mm - Pure Copper E-Cu Ø 0.8 mm - Pro Mig 24 - 36 - 500 - 10 Pcs	1 Pack
250.09.002.1	Contact Tip M6 x 28 mm - Pure Copper E-Cu Ø 0.9 mm - Pro Mig 24 - 36 - 500 - 10 Pcs	1 Pack
250.09.003.1	Contact Tip M6 x 28 mm - Pure Copper E-Cu Ø 1.0 mm - Pro Mig 24 - 36 - 500 - 10 Pcs	1 Pack
250.09.004.1	Contact Tip M6 x 28 mm - Pure Copper E-Cu Ø 1.2 mm - Pro Mig 24 - 36 - 500 - 10 Pcs	1 Pack
250.09.005.1	Contact Tip M6 x 28 mm - Pure Copper E-Cu Ø 1.6 mm - Pro Mig 24 - 36 - 500 - 10 Pcs	1 Pack




250.10.001.1	Contact Tip M6 x 28 mm - Silver Plated Ø 0.8 mm - Pro Mig 24 - 36 - 500 - 10 Pcs	1 Pack
250.10.002.1	Contact Tip M6 x 28 mm - Silver Plated Ø 0.9 mm - Pro Mig 24 - 36 - 500 - 10 Pcs	1 Pack
250.10.003.1	Contact Tip M6 x 28 mm - Silver Plated Ø 1.0 mm - Pro Mig 24 - 36 - 500 - 10 Pcs	1 Pack
250.10.004.1	Contact Tip M6 x 28 mm - Silver Plated Ø 1.2 mm - Pro Mig 24 - 36 - 500 - 10 Pcs	1 Pack




250.11.001.1	Contact Tip M8 x 30 mm - Pure Copper E-Cu Ø 1.0 mm - Pro Mig 36 - 500 - 10 Pcs	1 Pack
250.11.002.1	Contact Tip M8 x 30 mm - Pure Copper E-Cu Ø 1.2 mm - Pro Mig 36 - 500 - 10 Pcs	1 Pack
250.11.003.1	Contact Tip M8 x 30 mm - Pure Copper E-Cu Ø 1.4 mm - Pro Mig 36 - 500 - 10 Pcs	1 Pack
250.11.004.1	Contact Tip M8 x 30 mm - Pure Copper E-Cu Ø 1.6 mm - Pro Mig 36 - 500 - 10 Pcs	1 Pack
250.11.005.1	Contact Tip M8 x 30 mm - Pure Copper E-Cu Ø 2.0 mm - Pro Mig 36 - 500 - 10 Pcs	1 Pack
250.11.006.1	Contact Tip M8 x 30 mm - Pure Copper E-Cu Ø 2.4 mm - Pro Mig 36 - 500 - 10 Pcs	1 Pack



250.12.001.1	Contact Tip M8 x 30 mm - Copper Chromium Zirconium CuCrZr Ø 1.0 mm - Pro Mig 36 - 500 - 10 Pcs	1 Pack
250.12.002.1	Contact Tip M8 x 30 mm - Copper Chromium Zirconium CuCrZr Ø 1.2 mm - Pro Mig 36 - 500 - 10 Pcs	1 Pack
250.12.003.1	Contact Tip M8 x 30 mm - Copper Chromium Zirconium CuCrZr Ø 1.3 mm - Pro Mig 36 - 500 - 10 Pcs	1 Pack
250.12.004.1	Contact Tip M8 x 30 mm - Copper Chromium Zirconium CuCrZr Ø 1.4 mm - Pro Mig 36 - 500 - 10 Pcs	1 Pack





Item Code	Item Name	MoQ
250.06.005.1	Gas Diffuser - White - Pro Mig 500 - 10 Pcs	1 Pack
250.06.006.1	Gas Diffuser - Ceramic - Pro Mig 500 - 10 Pcs	1 Pack
250.06.007.1	Tip Holder - M6 x 25 mm - Pro Mig 500 - 5 Pcs	1 Pack
250.06.008.1	Tip Holder - M8 x 25 mm - Pro Mig 500 - 5 Pcs	1 Pack
250.06.009.1	Insulator - Pro Mig 500 - 10 Pcs	1 Pack
250.06.010.1	Swan Neck - Pro Mig 500 - 1 Pc	1 Pack
250.15.004.1	Steel Liner - Red Ø 0.9 - 1.2 mm at 3 m - 1 Pc	1 Pack
250.15.005.1	Steel Liner - Red Ø 0.9 - 1.2 mm at 4 m - 1 Pc	1 Pack
250.15.010.1	Steel Liner - Yellow Ø 1.2 - 1.6 mm at 4 m - 1 Pc	1 Pack
250.15.011.1	Steel Liner - Yellow Ø 1.2 - 1.6 mm at 5 m - 1 Pc	1 Pack
250.16.001.1	Teflon Liner - Blue Ø 0.8 - 1.0 mm at 3 m - 1 Pc	1 Pack
250.16.002.1	Teflon Liner - Blue Ø 0.8 - 1.0 mm at 4 m - 1 Pc	1 Pack
250.16.004.1	Teflon Liner - Red Ø 1.0 - 1.2 mm at 3 m - 1 Pc	1 Pack
250.16.005.1	Teflon Liner - Red Ø 1.0 - 1.2 mm at 4 m - 1 Pc	1 Pack
250.16.007.1	Teflon Liner - Yellow Ø 1.4 - 1.6 mm at 3 m - 1 Pc	1 Pack
250.16.008.1	Teflon Liner - Yellow Ø 1.4 - 1.6 mm at 4 m - 1 Pc	1 Pack
250.16.010.1	Swan Neck Copper Liner - for Aluminum Wire up to 1.6 mm - 1 Pc	1 Pack



Recommended Anti Spatter

Item Code	Item Name	MoQ
336.01.001	Antispatter Spray - Distac Weld 400 ml - Siliconi	1 Pc
336.01.002	Antispatter Paste - Pasta Welding 300 gr - Siliconi	1 Pc
336.01.003	Antispatter Spray - Ceramstak 500 ml - Siliconi	1 Pc